WOOD PRICE LIST



		Stûv 16-in insets			Stûv 16-Fireplace insets		
		Th	(J)	(Jh)		J.	
		16/58 A	16/68 A	16/78 A	16/58	16/68	16/78
Sophisticated combus	stion and high efficiencies.	2,473	2,783	3,092	3,918	4,331	4,641
SMOKE OUTLETS ((mm)	Ø 180	Ø 180	Ø 180	Ø 180	Ø 180	Ø 180
	Standard	125	125	125	232	232	232
	90° Elbow						
FRAMES	Thin 4 sided	133	138	150			
FRAMES F	- itted anthracite 3 sided	133	138	150			
			150	100			
DUCTING			✓ ·	√	✓	\checkmark	\checkmark
DUCTING			\checkmark		Stûv 16-H st		
DUCTING		√	\checkmark				رونی مرکبی
	stion and high efficiencies.	Stûv 16-up s	ر toves ریالی 16/68	ب (یالی) 16/78	Stûv 16-H st	oves	16/78
	stion and high efficiencies.	Stûv 16-up s	ر toves المالية 16/68	ب المراجع 16/78	Stûv 16-H st	oves	ری بی اف/78 م
Sophisticated combus SMOKE OUTLETS (OUTSIDE AIR S	stion and high efficiencies.	Stûv 16-up s	v toves 16/68 A 3,712	ب المرابع المرابع المرابع المرابع المرابع	Stûv 16-H st	oves	16/78 4,331

		Stûv 16-cube	stoves	
		16/58 A	الله المراجع 16/68 ه	16/78
Sophisticated com	bustion and high efficiencies.	3,092	3,402	3,815
SMOKE OUTLET	ΓS (mm)	Ø 180	Ø 180	Ø 180
OUTSIDE AIR	Standard	125	125	125
CONNECTOR	90° Elbow	158	158	158
DUCTING				
CUBE BASES		√	\checkmark	\checkmark



		Stûv 6 insets		
		46x55 A*	66×50	76×55
Sophisticated com	nbustion and high efficiencies.	1,600	1,800	1,900
SMOKE	45 degrees	47	47	47
OUTLETS	Vertical	56	56	56
	Thin frame	146	151	157
FRAMES	Applied frame 4 sides	230	247	263
	Applied frame 3 sides	203	218	235
OUTSIDE AIR	Rear	77	77	77
CONNECTOR	Bottom	104	104	104
VENTILATOR			374	374
SUPPORT LEGS		124	124	124

21

		Stûv 21 -	single face					
		21/65H	21/75	21/85	21/95	21/105	21/125	21/135
	s with no mechanisms or	A ⁺	A	A ⁺	A	A ⁺	A	A
	. Stove & open fire modes.	3,505	3,505	3,918	4,435	4,435	5,880	5,674
SMOKE OUTL	ETS (mm)	Ø 200	Ø 180 / 200	Ø 200 / 250	Ø 250	Ø 200	Ø 250 / 300	Ø 250
	Extended	125	133	150	172	150	210	218
	Flat	82	96*	110	125	110	138	167
	Dark interior colour			\checkmark		\checkmark		
OPTIONS	Outside air connector	130	130	133	130	133		
LIDS FOR	Full	68	82	91	104	37	125	54
DOOR	Partial	23	28	37	42		54	
	Thin	280	280	297	314	306	340	337
FRAMES	Fitted anthracite (requires adj. backing)	297	311	325	340	340	402	402
	Adjustable backing 50–75 mm or 75–125 mm	125	133	138	150	138	187	195
	SFI or SFI AIR		1,495	1,639	1,794		1,955	
CLADDINGS (See Diagrams)	SF2 or SF2 AIR SF2 + Log Rack		2,165	2,320	2,480	2,267	2,623	
(See Diagrains)	SFB cladding for stove body		371	428	458	428	500	
	SF4 also available in select custom sizes**	795	758	795	860	829	925	925
	SF5		1,938	2,122	2,311	2,122	2,659	
PANELS (See Diagrams)	SF6 also available in select custom sizes**	1,418	1,850	2,039	2,210		2,478	
	SF8 also available in select custom sizes**					995		
DUCTING RE	QUIRED	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark

SF1 + SF2 also available as a front panel. AIR claddings for use with outside air connector. * 21/75 SF flat smoke outlet only available as Ø 180 mm. ** At additional cost.

Stûv 21 - double face

		رگی 21/75	21/85	رلی 21/95 ۲	21/125
Glass retractab The greatest vie	le doors from both sides. ew of the fire.	4,641	4,951	5,674	7,222
SMOKE OUT	ETS (mm)	Ø 200 / 250	Ø 250	Ø 250 / 300	Ø 300
	Extended	133	150	175	210
	Flat	96*	110	125	138
OPTIONS	Outside air connector (2 incl.)	260	266	260	
LIDS FOR	Full	82	91	104	125
DOOR	Partial	28	37	42	54
	Thin	280	297	314	340
FRAMES	Fitted anthracite (requires adj. backing)	311	325	340	402
	Adjustable backing 50–75 mm or 75–125 mm	133	138	150	187
CLADDINGS	DF2 or DF2 AIR includes Log Rack	5,026	5,380	5,826	63,73
DUCTING RE	QUIRED see Ducting Kit	\checkmark	\checkmark	\checkmark	\checkmark

DF2 AIR designed for use with outside air connector. * Flat smoke outlet only available as Ø 250 mm.

22 STITY

Stûv 22 - single face

			22/70	22/90 A	22/110 A
Purest lines with no	mechanisms	or handles in sight.	5,032	5,341	5,341
SMOKE OUTLET (m	ım)		Ø 180	Ø 200	Ø 200
	Stone		Bright / Dark	Bright / Dark	Bright / Dark
OPTIONS	Outside	air connector 160 mm + angle	126	126	126
	A4	Black / white / moka	806	834	834
		Rust 2 mm	636	665	665
	S4	Dark grey	439	439	439
		D. Grey / concrete grey / rust		1,387	1,387
FRAMES See Diagrams	L4	To be personalised		1,216	1,216
	C2		528	528	528
	D3	Left or right	1,904	1,904	1,904
		Logs Left or right	1,774	1,774	1,774
	D4	Deco Left or right	1,694	1,694	1,694
FRONT PANELS	DS	D. Grey / c. Grey / rust / white	1,966	1,966	1,966
See Diagrams	SF1	D. Grey / c. Grey / rust / white		1,442	1,442
	SF2	D. Grey / c. Grey / rust / white		1,778	1,778
	ST	To be personalised	848	848	848
STRUCTURE	DUCTIN	NG REQUIRED see Ducting Kit	\checkmark	\checkmark	\checkmark
	SF1	D. Grey / c. Grey / rust / white		1,834	1,834
CLADDINGS	SF2	D. Grey / c. Grey / rust / white		2,170	2,170

Stûv 22 - double face

			22/90 DF	۲۲ (۱۹۹۵) 22/110 DF
		·	5,820	5,820
SMOKE OUTLET ((mm)		Ø 250	Ø 250
	Stone		Dark	Dark
OPTIONS	Outside	air connector 160 mm + angle	126	126
		Black / white / moka	834	834
	A4	Rust 2 mm	665	665
	S4	Dark grey	439	439
FRAMES See Diagrams	L4	D. Grey / concrete grey / rust	1,387	1,387
		To be personalised	1,216	1,216
	5.4	Logs Left or right	2,430	2,430
	D4	Deco Left or right	2,352	2,352
	DF1	D. Grey / c. Grey / rust / white	2,972	2,972
CLADINGS	DF2	D. Grey / c. Grey / rust / white	3,970	3,970
	DF7	D. Grey / c. Grey / rust / white	4,966	4,966

30 STITY

		Stûv 30			Stûv 30 inset	:		
		ي ج	2	25	ركاني	25	25	
		Low	High A ⁺	Up A*	Basic A*	Raised A*	Panels A*	
3 in 1 stove: gla	ss door, overnight burn & open.	5,157	6,087	4,848	4,848	5,880	5,467	
DEFRA APPR	OVED							
SMOKE OUT	LETS (mm)	Ø 150 / 180	Ø 180	Ø 180	Ø 180	Ø 180	Ø 180	
ROTATING		416	356					
FIXED		179	125	260*	✓	\checkmark	\checkmark	
REAR		266	241					
OPTIONS								
Heat accumula	ator		657					
Outside air co	nnector	260	260	201	104	104	104	
FLOOR PLATE	Circular Stûvgrey	278	278		161	161	161	
	Circular Stainless Steel							
	OVAL Stûvgrey	278	278					
DUCTING se	e Accessories				√	\checkmark	\checkmark	

DUCTING see Accessories

Panels available in many RAL colours/configurations. Contact us for prices and lead times. * Custom cover to fit around smoke outlet.



		Stûv 30-compact			Stûv 30-compact inset		
		MONO **	23 Low ***	High	Basic	Baised	Panels
		A*	A *	A*	A*	A*	A ⁺
3 in 1 stove: gla	ass door, overnight burn & open.	3,092	4,125	4,435	5,054	5,157	4,951
DEFRA APPR	OVED	√	\checkmark	\checkmark	√	\checkmark	\checkmark
SMOKE OUT	LETS (mm)	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150	Ø 150
ROTATING		√	\checkmark	192			
FIXED					√	\checkmark	\checkmark
REAR				192			
OPTIONS							
Heat accumul	ator			600			
Outside air co	onnector	218	218	218	80	80	80
	Circular Stûvgrey	278	278	278	116	116	116
FLOOR PLATE	Circular Stainless Steel	430	430	430			
, L	OVAL Stûvgrey	280	280	280			
DUCTING se	e Accessories				✓	\checkmark	\checkmark

Panels available in many RAL colours/configurations. Contact us for prices and lead times. ** MONO has glass stove mode only. *** Available in StûvGrey and StûvBlack






A⁺ Retractable glass, high efficiency, small but 5,674 variable output, huge flame picture \checkmark DEFRA APPROVED OUTSIDE AIR CONNECTOR 104 SMOKE OUTLETS (mm) Ø 180 Top or back 76 Thin NARROW 4 SIDED 447 FRAMES & FINISHINGS Fitted FLANGED 4 SIDED 416 White NARROW FACE + PROTRUSION 1,561 CLADDINGS (See Diagrams) Black FRONT + BODY COVER 2,765 INTEGRATED CUPBOARDS see Storage \checkmark DUCTING REQUIRED see Accessories \checkmark


Accessories

DUCTING KIT For	DUCTING KIT For venting convection air elsewhere					
GRILLE	Simple 200 × 200 mm	62				
GRILLE	Shut off 200 × 200 mm	91				
PIPE IN/OUT		3				
FLEXI 100/300	150 Mm	28				
CLAMP	Set of two	5				
SUPPORT TABLES	5 To raise height of inset units on	the wall				
STÛV 16 INSET		91				
STÛV 21		130				
STÛV MICROM	EGA	114				
BARBECUE KITS						
STÛV 30		278				
CTÚN 24	65 Only	278				
STÛV 21	Other models	252				
STÛV 22	90 + 110 Only	272				
STÛV MICROM	STÛV MICROMEGA 85					

Storage & more

DRAWER	600 mm	784
DRAWER	1200 mm	1,098
DRAWER U FORM	1	1,098
DRAWER WITH L	OG RACK	1,063
ROMEGA CUPB	OARD	
CUPBOARD	Narrow 50 cm	730
CUPBOARD	Wide 80 cm	849
DRAWERS FOR	Narrow	114
CUPBOARD	Wide	158
ALL MODELS		
MOBILE LOG	40 cm	430
HOLDER	50 cm	402
MOBILOBOX		566
HUMIDITY TESTE	R	85





	Stûv UK
PHONE	07786 864831
SALES	david@stuv.co.uk
WEB	www.stuv.co.uk
OFFICES	Rue Jules Borbouse, 4
	5170 Bois-de-Villers, BELGIUM

NOTES All prices are in pounds sterling and include 20% VAT. Effective 1 April 2020. Contact your local distributor for spare parts or other options. A delivery charge may be made by a distributor. We reserve the right to change prices without prior notice.

Panels, claddings and bases come in several colours, check online for options. Please confirm lead times before ordering. *SF2 and SF2 AIR are available in asymmetrical left (SF2D) and right (SF2A) versions.